

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	173	((@ad<"20000714" or @riad<"20000714") and (server or administrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and (ring or loop) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and nodes	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 08:53
S2	156600	"data transmit signal"and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/08 15:57
S3	11	"data transmit signal" and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/08 16:39
S4	2	"6029175".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/08 16:37
S5	1	((NMS or "central site") adj5 inform) and update and transfer and signal and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:40
S6	1	((NMS or "central site") adj10 inform) and update and transfer and signal and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/09 08:42
S7	39	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:36
S8	22	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and loop and line	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:41
S9	22	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and loop	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/20 14:39
S16	2	"5557317".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/01/08 14:47
S17	2	"5557317".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/02 10:07
S18	43	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:37
S19	24	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and loop and line	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/20 14:39
S20	24	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and loop	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:40

S21	4	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and loop and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:41
S22	2	"6421733".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/21 08:55
S23	0	("709" or "707" or "725" or "717").clas. and ((NMS or "central site") adj5 inform) and update and transfer and signal and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:40
S24	15	("709" or "707" or "725" or "717").clas. and ((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:40
S25	15	("709" or "707" or "725" or "717").clas. and ((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:40
S26	7	("709" or "707" or "725" or "717").clas. and ((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and loop	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:41
S27	7	("709" or "707" or "725" or "717").clas. and ((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and loop and line	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:41
S28	15	("709" or "707" or "725" or "717").clas. and ((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:41
S29	15	("709" or "707" or "725" or "717").clas. and ((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:41
S30	4	("709" or "707" or "725" or "717").clas. and ((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and loop and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/04 08:41
S31	66195	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near10 (transmit\$4 or push\$3 or send\$3) near10 (program or update or data or packet\$2 or information) same signal\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:35
S32	25131	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near10 (transmit\$4 or push\$3 or send\$3) near10 (program or update or data or packet\$2 or information) same (control adj3 signal\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:35
S33	21063	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:28
S34	7298	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and (ring or loop)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:29

S35	1171	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and (ring or loop) and ((stor\$3 near10 memory) near5 signal)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:36
S36	979	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and (ring or loop) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:31
S37	173	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and (ring or loop) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and nodes	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:36
S38	20	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and (ring or loop) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and nodes and ("709" or "707" or "725" or "717").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:36
S39	205	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and ("709" or "707" or "725" or "717").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:37
S40	410	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4 or central\$4) near7 (control adj3 signal\$2) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and ("709" or "707" or "725" or "717").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:48
S41	363	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4 or central\$4) near5 (control adj3 signal\$2) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and (updat\$3 or chang\$4) and ("709" or "707" or "725" or "717").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:37
S42	284	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4 or central\$4) near5 (control adj3 signal\$2) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and (updat\$3 or chang\$4 or modif\$4) near10 (program or value or data) and ("709" or "707" or "725" or "717").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:51
S43	76	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4 or central\$4) near5 (control adj3 signal\$2) same transmi\$6 near5 signal and ((stor\$3 near10 memory) near5 signal) and (updat\$3 or chang\$4 or modif\$4) near10 (program or value or data) and ("709" or "707" or "725" or "717").clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:33
S45	2806	(@ad<"20000714" or @rlad<"20000714") and ("CHA").in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:36
S46	2	(@ad<"20000714" or @rlad<"20000714") and ("CHA Jeong").in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:36

S47	155958	(@ad<"20000714" or @rlad<"20000714") and ("CHA Jeong"). in. or SAMSUNG.as.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:37
S48	155958	(@ad<"20000714" or @rlad<"20000714") and ("CHA Jeong"). in. or SAMSUNG.asn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:36
S49	2	(@ad<"20000714" or @rlad<"20000714") and ("CHA Jeong"). in. and SAMSUNG.asn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:37
S51	820	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near10 (transmit\$4 or push\$3 or send\$3) near10 (program or update or data or packet\$2 or information) same signal\$2 and (709/218 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:57
S52	176	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near10 (transmit\$4 or push\$3 or send\$3) near10 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and (709/218 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:57
S53	10	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and (709/218 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:57
S55	76	(@ad<"20000714" or @rlad<"20000714") and ("CHA Jeong"). in. or SAMSUNG.asn. and (709/218 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:58
S57	5	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and (ring or loop) and ((stor\$3 near10 memory) near5 signal) and (709/218 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:58
S58	10	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and (709/218 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:36
S60	10	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and (709/218 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:37
S61	13	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and (709/218 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:58
S62	24	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4 or central\$4) near5 (control adj3 signal\$2) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and (updat\$3 or chang\$4) and (709/218 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:58
S64	913	(@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near10 (transmit\$4 or push\$3 or send\$3) near10 (program or update or data or packet\$2 or information) same signal\$2 and (725/92 or 725/100 or 725/115 or 717/167 or 707/104 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:57

S65	210	((@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near10 (transmit\$4 or push\$3 or send\$3) near10 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and (725/92 or 725/100 or 725/115 or 717/167 or 707/104 or 709/203 or 709/217))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:57
S66	9	((NMS or "central site" or server) adj10 inform) and update and transfer and signal and @ad<"20000714" and node and (725/92 or 725/100 or 725/115 or 717/167 or 707/104 or 709/203 or 709/217)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:57
S67	93	((@ad<"20000714" or @rlad<"20000714") and ("CHA Jeong"). in. or SAMSUNG.asn. and (725/92 or 725/100 or 725/115 or 717/167 or 707/104 or 709/203 or 709/217))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:58
S68	7	((@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and (ring or loop) and ((stor\$3 near10 memory) near5 signal)and (725/92 or 725/100 or 725/115 or 717/167 or 707/104 or 709/203 or 709/217))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:58
S69	16	((@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4) near7 (transmit\$4 or push\$3 or send\$3) near7 (program or update or data or packet\$2 or information) same (control adj3 signal\$2) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and (725/92 or 725/100 or 725/115 or 717/167 or 707/104 or 709/203 or 709/217))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 13:58
S70	28	((@ad<"20000714" or @rlad<"20000714") and (server or adminitrat\$5 or control\$4 or central\$4) near5 (control adj3 signal\$2) and ((stor\$3 near10 memory) near5 signal) and (transmi\$6 near5 signal) and (updat\$3 or chang\$4) and (725/92 or 725/100 or 725/115 or 717/167 or 707/104 or 709/203 or 709/217))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 10:48
S71	221034	((@ad<"20000714" or @rlad<"20000714") and ((program\$2 or code\$2 or application\$2 or software\$2 or firmware\$2 or script\$2 or batch or "operating system" or task\$2 or process\$2 or instruction\$2) near10 (updat\$3 or upgrad3 or version\$2 or revision\$3 or revis\$3 or replac\$5 or install\$3 or improv\$3 or enhanc\$3)) same (control or signal or instruction or command or manag\$4 or direct\$4 or regulation\$2 or maintenance or maintain\$5 or operat\$4 or designat\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:03
S72	4376	S71 and (709/212 or 709/213 or 709/220 or 709/221 or 709/223 or 709/224 or 709/251)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 10:58
S73	3577	S72 and ((stor\$3 or sav\$3 or keep\$3 or maintain\$3) near3 (memor\$4 or databas\$3 or region\$3 or locat\$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:06
S74	3099	S72 and ((stor\$3 or sav\$3 or keep\$3 or maintain\$3) near3 (memor\$4 or databas\$3 or region\$3 or locat\$5) same (control or signal or instruction or command or manag\$4 or direct\$4 or regulation\$2 or maintenance or maintain\$5 or operat\$4 or designat\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:06
S75	794	S74 and 709/220	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:07

S76	117690	((@ad<"20000714" or @riad<"20000714") and ((program\$2 or code\$2 or application\$2 or software\$2 or firmware\$2 or script\$2 or batch or "operating system" or task\$2 or process\$2 or instruction\$2) near10 (updat\$3 or upgrad\$3 or version\$2 or revision\$3 or revis\$3 or replac\$5 or install\$3 or improv\$3 or enhanc\$3)) near10 (control or signal or instruction or command or manag\$4 or direct\$4 or regulation\$2 or maintenance or maintain\$5 or operat\$4 or designat\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:03
S79	2908	S76 and (709/212 or 709/213 or 709/220 or 709/221 or 709/223 or 709/224 or 709/251)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:06
S80	2414	S79 and ((stor\$3 or sav\$3 or keep\$3 or maintain\$3) near3 (memor\$4 or databas\$3 or region\$3 or locat\$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:06
S81	2135	S79 and ((stor\$3 or sav\$3 or keep\$3 or maintain\$3) near3 (memor\$4 or databas\$3 or region\$3 or locat\$5) same (control or signal or instruction or command or manag\$4 or direct\$4 or regulation\$2 or maintenance or maintain\$5 or operat\$4 or designat\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:06
S82	551	S81 and 709/220	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:18
S83	199	S81 and 709/220 and (pass adj5 on or forward\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:14
S84	64	S81 and 709/220 and (client or device) near10 (pass adj5 on or forward\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:26
S85	304	S81 and (client or device) near10 (pass adj5 on or forward\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:14
S86	1991	S81 and (pass adj5 on or forward\$3 or toward2 or send\$3 or advanc\$4 or transmit\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:16
S87	1441	S81 and (pass adj5 on or forward\$3 or toward2 or send\$3 or advanc\$4 or transmit\$5) near5 (client\$2 or device\$2 or user\$2 or terminal\$2 or head adj2 end)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:17
S88	959	S81 and (pass adj5 on or forward\$3 or toward2 or send\$3 or advanc\$4 or transmit\$5) near5 (client\$2 or device\$2 or user\$2 or terminal\$2 or head adj2 end) and (709/220 or 709/224 or 709/225)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:20
S89	220	S81 and (pass adj5 on or forward\$3 or toward2 or send\$3 or advanc\$4 or transmit\$5) near5 (client\$2 or device\$2 or user\$2 or terminal\$2 or head adj2 end) and (709/220 or 709/224 or 709/225) and ring	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:28

S90	400	S81 and (pass adj5 on or forward\$3 or toward2 or send\$3 or advanc\$4 or transmit\$5) near5 (client\$2 or device\$2 or user\$2 or terminal\$2 or head adj2 end) and (709/220 or 709/224 or 709/225) and (ring or loop)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:26
S91	220	S81 and (pass adj5 on or forward\$3 or toward2 or send\$3 or advanc\$4 or transmit\$5) near5 (client\$2 or device\$2 or user\$2 or terminal\$2 or head adj2 end) and (709/220 or 709/224 or 709/225) and ring	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:26
S92	412	(store near3 forward) near10 control	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:28
S93	333	(@ad<"20000714" or @rlad<"20000714") and (store near3 forward) near10 control	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:29
S94	1278	(@ad<"20000714" or @rlad<"20000714") and (store near3 forward) near10 (control or signal or instruction or command or manag\$4 or direct\$4 or regulation\$2 or maintenance or maintain\$5 or operat\$4 or designat\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:30
S95	64	(@ad<"20000714" or @rlad<"20000714") and (store near3 forward) near10 (control or signal or instruction or command or manag\$4 or direct\$4 or regulation\$2 or maintenance or maintain\$5 or operat\$4 or designat\$4) and (709/220 or 709/224 or 709/223)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:33
S96	14	(@ad<"20000714" or @rlad<"20000714") and (store near3 forward) near10 (control or signal or instruction or command or manag\$4 or direct\$4 or regulation\$2 or maintenance or maintain\$5 or operat\$4 or designat\$4) and (709/251 or 709/221)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:37
S97	160	(@ad<"20000714" or @rlad<"20000714") and (store near3 forward) near10 signal	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 15:39
S98	81	(@ad<"20000714" or @rlad<"20000714") and (store near3 forward) near10 (initiat\$5 or start or commenc\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 08:51